

EXPLORING ELECTRODES *For High And Low Voltage Holiday Detectors*

AVAILABLE FROM STOCK!

Types:

- Full Circle Spring
- Half Circle Spring
- Silicone-Rubber Brush
- Wire Brush
- Sponge
- Internal Silicone-Rubber Disk
- Internal Sponge Disk

Types: Internal Sponge Disk and Custom Electrodes available.

Distributed by:



teststations.com

detectron.com

Info@tinker-rasor.com tinker-rasor.com

Tinker & Rasor quality is found in our products, our people and our customer service.



FEATURES:

- Full & Half Circle electrodes roll down pipe.
- Square spring gives closer contact to coating
- Spring made of galvanized steel
- Half circle springs have 190-degree arc
- Silicone-rubber is made of conductive material with very low resistivity
- Wire brushes are crimped stainless steel

CONSTRUCTION:

- Full Circle Spring electrodes cut to pipe diameter. 2" - up to large diameters avail.
- Galvanized steel for corrosion resistance.
- Conductive silicone-rubber used in couplers, with high grade lubricant for years of use

APPLICATIONS:

- Full circle and half circle springs used with T&R high voltage holiday detectors, to inspect pipeline coatings in plant or field.
- Silicone-Rubber brush used to inspect welds tanks, or other conductive substrates
- Wire brush used on coatings with irregular surfaces or joints, fittings, etc.

SPONGE ELECTRODES

- The Models M/1 and M1/AC low voltage holiday detectors use a cellulose sponge suitable for rapid wetting.
- Sponge should be damp but not dripping when used.
- Sponge ships compressed and must be wet to get to full size.
- Tinker & Rasor exploring electrodes are designed to provide the user with a method of maintaining close, intimate contact with the coating.

DELIVERY:	Immediately from STOCK F.O.B. New Braunfels, TX USA
SERVICE:	24-hour Turn-Around
TERMS:	Net 30 Days, on approval of credit
WARRANTY: 90 Days, parts and labor	

AVAILABLE FROM STOCK

EXTERNAL ELECTRODES



HIGH VOLTAGE INTERNAL ELECTRODES

INTERNAL ELECTRODE KIT INCLUDES:

- 093-010 Adapter kit
- 005-036 Plug, cable conn.440-type Cable (length = pipe
- length + 8') • 009-006 Adapter, powerpak
- (required for AP/W)

OPTIONAL:

- 052-001 Roller assembly, single (10"+)
- 052-002 Roller assembly, double (16"+)
- Lance Handle not included. Recommended to use 1/2" PVC

Double Discs available

LOW VOLTAGE INTERNAL ELECTRODES

tinker-rasor.com

INTERNAL SPONGE ELECTRODE KIT INCLUDES:

- 093-009 Adapter kit
- Cable (to length)

Double Discs available

